

## 66-677 Coverall

NFPA 2112 certified coverall is breathable, reusable and resistant to chemical splash, flash fire, arc flash and hot liquids.

### Chemical- and flame-resistant coveralls providing breathability and reusability.

- **Specialized protection:** The AlphaTec™ Breathable FR Coverall 66-677 is composed of chemical splash fabric that delivers superb protection, with penetration data for more than 70 chemicals
- **Improved defenses:** Owing to its flame-resistant material, this chemical protective suit resists flash fires, arc flashes and hot liquids
- **Enhanced comfort:** In addition, these reusable chemical-resistant coveralls elevate comfort, protecting workers from heat stress and increasing productivity
- **Increased features:** These chemical-resistant coveralls' sealed seams and double front storm flaps grant leaktight protection from chemical sprays, while their flame-resistant, heavy-duty zipper and hook-and-loop fastenings at the legs and cuffs enhance safety levels



## Industries

- Food Processing
- Mining
- Maintenance
- Automotive


## Applications

- Plant disinfection and sanitization
- Chemical Handling
- Repair and maintenance
- Oil Platforms
- Mining
- Metal Plating
- Food Processing
- Sanitation
- Utilities
- Energy
- Water plants
- Pulp and Paper Production
- Potential Flash Fire

## KEY FEATURES & BENEFITS

- ◊ **Chemical splash fabric:** Shields from more than 70 chemicals
- ◊ **Flame-resistant fabric:** Personal protection from burn injuries
- ◊ **Breathable fabric:** For optimized comfort and lowered heat stress risk

## Seam Diagram



## Performance Standards

ASTM F1671



## Product Information

Product Information	
Available Sizes	S, M, L, XL, 2XL, 3XL, 4XL, 5XL, 6XL, 7XL
Color	Blue
Packaging Overview	1 Piece per Case
Product Material	White Nomex® inner with breathable membrane and Blue Nomex® outer
Product Reference	66-677 Coverall
Standards Overview	<ul style="list-style-type: none"><li>• NFPA 2112</li><li>• Tested to ASTM F955-2015 - Standard Test Method for Evaluating Heat Transfer through Materials for Protective Clothing Upon Contact with Molten Substances</li><li>• ASTM F1671 - Resistance to bloodborne pathogens</li><li>• EN 1149-5 - Electrostatic properties</li></ul>
Seam Type	Stitched and Taped
Shelf Life	5 years
Style Number	B66677

**For additional information visit us at [www.ansell.com](http://www.ansell.com), or call us at**

**Europe, Middle East & Africa Region**

Ansell Healthcare Europe NV  
T: +32 (0) 2 528 74 00

**North America Region**

Ansell Healthcare Products LLC  
T: +1 800 800 0444

**Australia**

Ansell Limited  
T: +61 1800 337 041

**Asia Pacific Region**

Ansell Global Trading Center  
T: +603 8310 6688

**Latin America & Caribbean Region**

Ansell Commercial Mexico S.A. de C.V.  
T: +52 442 248 1544 / 248 3133

Ansell, ® and ™ are trademarks owned by Ansell Limited or one of its affiliates. US Patented and US and non-US Patents Pending; [www.ansell.com/patentmarking](http://www.ansell.com/patentmarking) © 2025 Ansell Limited. All Rights Reserved.

Neither this document nor any other statement made herein by or on behalf of Ansell should be construed as a warranty of merchantability or that any Ansell product is fit for a particular purpose. Ansell assumes no responsibility for the suitability or adequacy of an end user's selection of gloves for a specific application.

