

66-670 Jacket

NFPA 2112 certified jacket is breathable, re-usable and resistant to chemical splash, flash fire, arc flash and hot liquids.

Breathable flame-resistant jacket with NFPA 2112 certification.

- **Specialized protection:** The AlphaTec™ Breathable FR Jacket 66-670 features chemical splash fabric, which protects against more than 70 chemicals
Added protection: This flame-resistant jacket provides excellent personal protection against flash fires, arc flashes and hot liquids
- **Advanced features:** As it has sealed seams and a double front storm flap, it ensures leak-tight protection from chemical sprays
- **Maximized durability:** With its laminated fabric system, the AlphaTec™ Breathable FR Jacket 66-670 is machine washable, granting a longer, cost-effective service life
- **Elevated comfort:** Its breathable fabric maximizes comfort, reducing the risk of heat stress and increasing productivity



Industries

- Food Processing
- Mining
- Maintenance
- Automotive


Applications

- Plant disinfection and sanitization
- Chemical Handling
- Rescue Operations
- Rescue extraction from confined spaces
- Oil Platforms
- Mining
- Metal Plating
- Food Processing
- Sanitation
- Utilities
- Energy
- Water plants
- Pulp and Paper Production
- Potential Flash Fire

KEY FEATURES & BENEFITS

- ◊ **Chemical splash fabric:** Protects against more than 70 chemicals
- ◊ **Flame-resistant fabric:** Resists flash fires, arc flashes and hot liquids
- ◊ **Sealed seams and double front storm flap:** Leak-tight protection

Seam Diagram



Performance Standards

ASTM F1671



Product Information

Product Information	
Available Sizes	S, M, L, XL, 2XL, 3XL, 4XL, 5XL
Color	Blue
Packaging Overview	Individually Packed
Product Material	White Nomex® inner with breathable membrane and Blue Nomex® outer
Product Reference	66-670 Jacket
Standards Overview	<ul style="list-style-type: none">• NFPA 2112• Tested to ASTM F955-2015 - Standard Test Method for Evaluating Heat Transfer through Materials for Protective Clothing Upon Contact with Molten Substances• ASTM F1671 - Resistance to bloodborne pathogens• EN 1149-5 - Electrostatic properties
Seam Type	Stitched and Taped
Shelf Life	5 years
Style Number	B66670

For additional information visit us at www.ansell.com, or call us at

Europe, Middle East & Africa Region

Ansell Healthcare Europe NV
T: +32 (0) 2 528 74 00

North America Region

Ansell Healthcare Products LLC
T: +1 800 800 0444

Australia

Ansell Limited
T: +61 1800 337 041

Asia Pacific Region

Ansell Global Trading Center
T: +603 8310 6688

Latin America & Caribbean Region

Ansell Commercial Mexico S.A. de C.V.
T: +52 442 248 1544 / 248 3133

Ansell, ® and ™ are trademarks owned by Ansell Limited or one of its affiliates. US Patented and US and non-US Patents Pending; www.ansell.com/patentmarking © 2025 Ansell Limited. All Rights Reserved.

Neither this document nor any other statement made herein by or on behalf of Ansell should be construed as a warranty of merchantability or that any Ansell product is fit for a particular purpose. Ansell assumes no responsibility for the suitability or adequacy of an end user's selection of gloves for a specific application.

