



PROTECTIVE INDUSTRIAL PRODUCTS

120-4500 Specification Sheet

TORQUE

PRODUCT DESCRIPTION:

Maximum Safety® Torque professional workman's glove, black synthetic leather with silicon reinforced palm, neoprene comfort wrist with hook and loop strap.

- Synthetic leather palm construction;
- Reflective tape on finger tips and patch Spandex fabric back;
- Foam padded knuckle;
- Silicone triangle grip Palm;
- Diamond grip PVC impregnated fingertips;
- Sandy PVC thumb crotch reinforcement;
- Lycra fabric fourchettes;
- Micro cotton thumb;
- Neoprene/Nylon Comfort wrist;
- Hook and loop closure.

Applications:

Ideal for heavy / light construction, auto repair, demolition, manufacturing, mining, fabrication, landscaping.



TECHNICAL DATA:

Material: Spandex/nylon/polyester/polyurethane/cotton/lycra
Construction: Back: Unlined spandex fabric (96% nylon, 4% spandex);
 Palm: Synthetic leather (60% nylon, 40% polyurethane), 0.8mm gauge;
 Fingers: Heavy lycra fabric (94% nylon, 6% lycra); Knuckles: 4mm foam padded; Cuff: 3mm nylon neoprene
Color: Black & white
Cuff Style: Hook and loop wrist closure
Available Sizes: S-XXL
Packaging: 12 pair per dozen, 6 dozen per case
Case Dimensions: cm - 46 x 26 x 31 / in - 19.7 x 15.0 x 13.4
Case Weight: 11.0 lbs / 5.0 kg
Manufacturer Certifications: ISO9002 certified
Country of Origin/Harmonization Code: Pakistan/4203.29.1500


Laundering Instructions:

Machine wash in cold water. Do not bleach. Hang dry; tumble dry is not recommended. Do not iron.

DIMENSIONS:

Size Available	S	M	L	XL	XXL
Over Length (cm)-A (in)	21.3 8.4	22.2 8.75	23.5 9.25	24.1 9.5	24.8 9.75
Palm Width (cm)-B (in)	9.5 3.75	10.2 4.0	10.8 4.25	11.4 4.5	12.1 4.75

Tolerance (in) \longleftrightarrow +/- 0.125 \longrightarrow



BARCODE #	DOZEN	CASE
120-4500/S	01616314069474	02616314069473
120-4500/M	01616314069467	02616314069466
120-4500/L	01616314069450	02616314069459
120-4500/XL	01616314069481	02616314069480
120-4500/XXL	01616314069498	02616314069497

This document is the property of PIP and the information contained herein is proprietary to PIP.