



PROTECTIVE INDUSTRIAL PRODUCTS

19-D475 Specification Sheet

GLOVES FOR CUT PROTECTION BY ATG®

PRODUCT DESCRIPTION:

MaxiCut® 5 by ATG®, Dyneema® with engineered yarns, reinforced thumb crotch, MicroFoam nitrile 3/4 coated (palm and knuckles).

- Washable, resistant to chemicals, water and ultraviolet light.
- Seamless construction.
- Color coded cuff overedge for easy size identification.
- Contains no stainless steel fibers.
- Dyneema® is a brand of polyethylene fibers that are 10 to 15 times stronger than steel, more durable than polyester and a strength that is 40% greater than aramid fiber.

Applications:

Used for electronics, glass cutting, sheet metal handling, general duty, parts assembly and construction.

TECHNICAL DATA:

Knit Shell: Seamless Nylon with Glass/Dyneema®/Lycra®

Coating: Gray foam nitrile palm and knuckle

Color: Gray

Cuff Style: Continuous knit

Available Sizes: XS - XXL

Packaging: 12 pair per dozen/poly bag, 12 dozen per case

Case Dimensions: cm - 47.0 x 26.7 x 35.6 / in - 18.5 x 10.5 x 14.0

Case Weight: (XS) 22 lbs / 10.0 kg (L) 30 lbs / 13.6 kg

(S) 24 lbs / 10.9 kg (XL) 32 lbs / 14.5 kg

(M) 27 lbs / 12.2 kg (XXL) 34 lbs / 15.4 kg

Manufacturer Certifications: ISO9001:2000; ISO14001:2004 certified

Country of Origin/Harmonization Code: Sri Lanka/6116.10.6500

Laundering Instructions:

Recommend washing gloves in slightly warm water not exceeding 40° C. A mild non-ionic detergent should be used. A 5-10 minute cycle time should be employed. Hang dry; tumble dry is not recommended.

PERFORMANCE PROPERTIES:

ASTM F1790: 1,663 grams

EN388: 4543


Abrasion	0	1	2	3	4	
Cut	0	1	2	3	4	5
Tear	0	1	2	3	4	
Puncture	0	1	2	3	4	



DIMENSIONS:

Size Available	XS	S	M	L	XL	XXL
Over Length (cm) - A	19.5	20.5	22.0	23.0	24.0	24.5
(in)	7.7	8.1	8.7	9.1	9.4	9.6
Palm Width (cm) - B	8.3	8.7	9.4	10.0	10.3	10.7
(in)	3.3	3.4	3.7	3.9	4.1	4.2

Cuff Overedge Color Blue Red Orange White Yellow Gray



BARCODE #	DOZEN	CASE
19-D475/XXL	01616314053664	02616314053663
19-D475/XL	01616314053657	02616314053656
19-D475/L	01616314053640	02616314053649
19-D475/M	01616314053633	02616314053632
19-D475/S	01616314053626	02616314053625
19-D475/XS	01616314053619	02616314053618

This document is the property of PIP and the information contained herein is proprietary to PIP.