



**PROTECTIVE INDUSTRIAL PRODUCTS**

# 19-D655 Specification Sheet

## COATED GLOVES MADE WITH DYNEEMA®

### PRODUCT DESCRIPTION:

G-Tek® CR Ultra, 13 gauge, black/gray Dyneema® spun shell, black polyurethane coated palm and knuckles.

- Washable, resistant to chemicals, water and ultraviolet light.
- Seamless construction.
- Color coded hems for easy size identification.
- Silicone-free.
- Dyneema® is a brand of polyethylene fibers that are 10 to 15 times stronger than steel, more durable than polyester and a strength that is 40% greater than aramid fiber.

### Applications:

Used for electronics, glass cutting, metal handling, food processing and meat processing.

### TECHNICAL DATA:

**Material:** Dyneema®/Nylon/Lycra®

**Color:** Black/gray with black palm and knuckle coating

**Cuff Style:** Continuous knit

**Available Sizes:** S - XL

**Packaging:** # 1 pair per bag, 12 pairs per dozen, 12 dozen per case

**Case Dimensions (cm):** 56.0 X 32.0 X 36.0 / (in): 22.0 x 12.6 x 14.2

**Case Weight:** (S) 19.8 lbs / 9.0 kg

(M) 20.4 lbs / 9.3 kg

(L) 22.2 lbs / 10.1 kg

(XL) 24.0 lbs / 10.9 kg

**Manufacturer Certifications:** ISO9001:2000 certified

**Country of Origin/Harmonization Code:** China/6116.10.6500

### Laundering Instructions:

Recommend washing gloves in slightly warm water not exceeding 40° C. A mild non-ionic detergent should be used. A 5-10 minute cycle time should be employed. Hang dry; tumble dry is not recommended.

### PERFORMANCE PROPERTIES:

ASTM F1790-04: 537 grams +/- 10%


EN388: 4341

Abrasion	0	1	2	3	4	5
Cut	0	1	2	3	4	5
Tear	0	1	2	3	4	
Puncture	0	1	2	3	4	



### DIMENSIONS:

Size Available	S	M	L	XL
Over Length (cm) – A	23.0	24.0	25.0	26.0
(in)	9.1	9.4	9.8	10.2
Palm Width (cm) – B	9.5	9.5	10.0	10.5
(in)	3.7	3.7	3.9	4.1
Hem Color	Red	Yellow	Brown	Black



BARCODE #	DOZEN	CASE
19-D655/XL	01616314046468	02616314046467
19-D655/L	01616314046444	02616314046443
19-D655/M	01616314046437	02616314046436
19-D655/S	01616314046451	02616314046450

This document is the property of PIP and the information contained herein is proprietary to PIP.